Government of Saskatchewan

Crop Report

Published by the Ministry of Agriculture
ISSN 0701 7085
Report number 10, June 30, 2016

For the Period June 21 to 27, 2016

One year ago
Ten per cent of the hay crop had been cut and five per cent baled. Grasshopper and dry conditions caused majority of the crop damage.

Follow the 2016 Crop Report on Twitter at @SKAgriculture.

The majority of crops are in good to excellent condition and at their normal stage of development, according to Saskatchewan Agriculture's weekly Crop Report. Due to favourable growing conditions, 27 per cent of the spring wheat, 43 per cent of the durum, 26 per cent of the canola, 41 per cent of the lentils, 38 per cent of the peas and 22 per cent of the chickpeas are in excellent condition. Approximately 25 per cent of the pulses, oilseeds and spring cereals are ahead of their normal stage of development for this time of year. Almost all areas of the province reported rain over the past week, with many areas reporting more than 30 mm. The greatest amount of precipitation fell in the Lampman area, where 89 mm was recorded.

Haying is underway. Seven per cent of the hay crop is cut and two per cent is baled. Haying is furthest advanced in Crop District 6B, which has 18 per cent of the hay crop cut. Hay quality is rated as 19 per cent excellent, 66 per cent good, 14 per cent fair and one per cent poor. Quality is lowest in Crop District 9B, where 45 per cent of the hay is rated as fair, thanks to dry conditions during most of the spring.

Provincial			
	% Ahead	% Normal	% Behind
Fall Cereals	48	51	1
Spring Cereals	24	71	5
Oilseeds	24	69	7
Pulse Crops	23	74	3

Across the province, topsoil moisture on cropland is rated as 10 per cent surplus, 82 per cent adequate, seven per cent short and one per cent very short. Crop District 1A, where 61 per cent of cropland has surplus moisture, has the highest top soil moisture rating. Crop districts 7B and 9B have the lowest top soil moisture ratings—37 per cent and 29 per cent short, respectively.

Hay land and pasture topsoil moisture is rated as five per cent surplus, 83 per cent adequate, 10 per cent short and two per cent very short. Very little crop damage is being reported, with disease and flooding causing the majority of damage. Hail was reported in a few areas of the province, but damage looks to be quite minimal at this time. Weed control operations are nearing completion. Producers are scouting for disease, applying fungicides and cutting hay.

For further information, contact Daphne Cruise, PAg,
Cropping Management Specialist, Moose Jaw, Regional Services Branch,
Toll Free: 1-866-457-2377 or 306-694-3587, E-mail: cropreport@gov.sk.ca.
Also available on the Ministry of Agriculture website at www.agriculture.gov.sk.ca.

Agriculture and Agri-Food Canada | Agriculture et Agroalimentaire Canada

SCIC
SASKATCHEWAN CROP INSURANCE CORPORATION

Southeastern Saskatchewan:

- Crop District 1 – Carnduff, Estevan, Redvers, Moosomin and Kipling areas
- Crop District 2 – Weyburn, Milestone, Moose Jaw, Regina and Qu'Appelle areas
- Crop District 3ASE – Radville and Lake Alma areas

Haying operations have started in the region. Producers have seven per cent of the hay cut and two per cent baled or put into silage. Hay quality is rated as 30 per cent excellent, 57 per cent good and 13 per cent fair. There have been some reports of areas of hay fields that are too wet to access at this time.

Southeast			
	% Ahead	% Normal	% Behind
Fall Cereals	62	38	0
Spring Cereals	41	55	4
Oilseeds	38	57	5
Pulse Crops	40	58	2

Rainfall across the region ranged from 4 mm (Weyburn area) to 89 mm (Lampman area). There were other reports of up to 125 mm of rain in the region. Other areas receiving large amounts of rain included Tantallon area (76 mm), Carnduff, Alameda, Maryfield (52 mm), and Ceylon area (44 mm). Most areas received over 20 mm of rain for the week. The Maryfield area currently holds the provincial record for the greatest amount of precipitation since April 1 (295 mm).

Topsoil moisture conditions are rated as 29 per cent surplus, 70 per cent adequate and one per cent short on cropland. Heavy rainfall over the past few weeks in much of the region has left standing water in fields. Crop districts 1A and 2B are reporting 61 and 33 per cent, respectively, of cropland has surplus topsoil moisture. Hay land and pasture topsoil moisture is rated as 14 per cent surplus, 85 per cent adequate and one per cent short. Crop District 2B is reporting that 30 per cent of the hay land and pasture have surplus topsoil moisture.

Overall, emerging crops are in good-to-excellent condition and development is normal for this time of year. However, due to favourable growing conditions, 38 per cent of the oilseeds and 40 per cent of the spring cereals and pulses are ahead of normal development for this time of year. Producers in areas around Lampman, Broadview, Grenfell and Ceylon have indicated that crops are under excess moisture stress and some crops will be lost to flooding, particularly in low-lying fields. With warm and wet weather, disease is becoming an issue, and producers are applying fungicides, particularly to canola and pulses.

Farmers are busy applying fungicide and haying.

Southwestern Saskatchewan:

- Crop District 3ASW – Coronach, Assiniboia and Ogema areas
- Crop District 3AN – Gravelbourg, Mossbank, Mortlach and Central Butte areas
- Crop District 3B – Kyle, Swift Current , Shaunavon and Ponteix areas
- Crop District 4 – Consul, Maple Creek and Leader areas

Farmers in the region have six per cent of the hay crop cut and three per cent baled or put into silage. Hay quality is rated as 30 per cent excellent, 57 per cent good and 13 per cent fair.

Rain was widespread across the region during the past week. The Rockglen area recorded 11 mm, while the Maple Creek area reported 68 mm. Other areas receiving major rain included Limerick (27 mm), Eyebrow (37 mm), Shaunavon (61 mm), Lucky Lake (45 mm) and Leader (52 mm). Most other areas reported 18 mm or more. The Limerick area holds the regional record fro greatest amount of precipitation since April 1 (248 mm).

Southwest			
	% Ahead	% Normal	% Behind
Fall Cereals	49	50	1
Spring Cereals	17	79	4
Oilseeds	14	83	3
Pulse Crops	20	78	2

Cropland topsoil moisture is rated as two per cent surplus, 97 per cent adequate and one per cent short. Hay land and pasture topsoil moisture is rated as one per cent surplus, 95 per cent adequate and four per cent short.

The majority of crops are in good-to-excellent condition. Forty-three per cent of the durum and lentils, 26 per cent of the canola, 36 per cent of the mustard, 38 per cent of the peas and 22 per cent of the chickpeas are in excellent condition. Most crops are at their normal stage of development. Twenty per cent of the pulses, 15 per cent of the oilseeds and 17 per cent of the spring cereals are ahead of normal development for this time of year. There are reports of high-than-normal numbers of cabbage seedpod weevils in some areas.

With warm and wet weather, producers are applying preventative fungicides to canola, pulses and cereals.

Farmers are busy haying, scouting crops and applying fungicides.

East-Central Saskatchewan:

- Crop District 5 – Melville, Yorkton, Cupar, Kamsack, Foam Lake, Preeceville and Kelvington areas
- Crop District 6A – Lumsden, Craik, Watrous and Clavet areas

Seven per cent of the 2016 hay crop has been cut and three per cent has been baled or put into silage. At this time, hay quality is rated as 23 per cent excellent, 64 per cent good and 13 per cent fair.

East-Central			
	% Ahead	% Normal	% Behind
Fall Cereals	39	59	2
Spring Cereals	20	74	6
Oilseeds	17	72	11
Pulse Crops	31	67	2

Rainfall ranged from 2 mm (Bethune area) to 73 mm (Rama area). The Langenburg area received 26 mm, the Kelvington and Rose Valley areas 55 mm and the Humboldt area 41 mm. The Bethune area holds the regional record for the greatest amount of precipitation since April 1 (218 mm). Topsoil moisture conditions are rated as 14 per cent surplus, 80 per cent adequate and six per cent short. Hay land and pasture topsoil moisture is rated as seven per cent surplus, 87 per cent adequate and six per cent short. Thirty per cent of the cropland in Crop District 5B is reported as having surplus moisture. Areas around Humboldt and Bradwell received some much-needed moisture over the past week.

The majority of crops are in good-to-excellent condition and development is about normal for this time of year. Due to frequent precipitation and warm temperatures, 27 per cent of the peas and spring wheat and 26 per cent of the canola are rated as being in excellent condition. Thirty-one per cent of the pulse crops and 20 per cent of the cereals are ahead of normal development for this time of year. Crop damage this week is mostly due to localized flooding.

Producers are busy applying fungicides for sclerotinia in canola and for ascochyta, anthracnose and sclerotinia in peas and lentils.

Farmers are busy scouting fields for insects and disease and haying.

West-Central Saskatchewan:

- Crop Districts 6B – Hanley, Outlook, Loreburn, Saskatoon and Arelee areas
- Crop District 7A – Rosetown, Kindersley, Eston, Major
- Crop District 7B - Kerrobert, Macklin, Wilkie and Biggar areas

Haying has started in the region and livestock producers have 13 per cent of the hay crop cut and four per cent baled or put into silage. Hay quality is rated as 22 per cent excellent, 67 per cent good, six per cent fair and five per cent very poor.

West-Central			
	% Ahead	% Normal	% Behind
Fall Cereals	25	75	0
Spring Cereals	17	78	5
Oilseeds	19	77	4
Pulse Crops	14	82	4

Rainfall this week ranged trace amounts to 69 mm (Rosetown area). Other areas reporting large amounts of rain include Conquest (51 mm), Kindersley (64 mm) and Major (26 mm). The Marengo area holds the regional record for the most rain since April 1 (180 mm). The Langham area has received the least amount of rain since April 1 (54 mm).

Topsoil moisture conditions on cropland are rated as three per cent surplus, 82 per cent adequate and 15 per cent short. Hay land and pasture topsoil moisture is rated as one per cent surplus, 81 per cent adequate and 18 per cent short. In Crop District 7B, 37 per cent of cropland and 45 per cent of hay land and pasture are short topsoil moisture.

Overall, crops are in good-to-excellent condition and at their normal stage of development for this time of year. Frequent moisture in most areas of the region has helped boost crop growth. Forty-one per cent of the lentils, 33 per cent of the peas, 23 per cent of the canola and 21 per cent of the spring wheat are ahead of normal development for this time of year. Recent rain has helped alleviate stress to crops and forage.

Farmers are busy haying, scouting for insects and disease and applying fungicides.

Northeastern Saskatchewan:

- Crop District 8 – Hudson Bay, Tisdale, Melfort, Carrot River, Humboldt, Kinistino, Cudworth and Aberdeen areas
- Crop District 9AE – Prince Albert, Choiceland and Paddockwood areas

Eleven per cent of the 2016 hay crop has been cut and eight per cent has been baled or put into silage. Hay quality at this time is rated as eight per cent excellent and 92 per cent good.

Northeast			
	% Ahead	% Normal	% Behind
Fall Cereals	N/A	N/A	N/A
Spring Cereals	27	66	7
Oilseeds	24	69	7
Pulse Crops	29	68	3

Precipitation in the region ranged from 3 mm (Alvena area) to 55 mm (Arborfield area). The Nipawin area received 39 mm of rain, the Humboldt and Lake Lenore areas 22 mm and the Garrick area 19 mm. The Porcupine Plain area holds the regional record for the most rainfall since April 1 (202 mm), while the Alvena area has received the least amount of rainfall in the region since April 1 (73 mm).

Cropland topsoil moisture conditions are rated as four per cent surplus, 89 per cent adequate, six per cent short and one per cent very short. Hay land and pasture topsoil moisture is rated as one per cent surplus, 90 per cent adequate, eight per cent short and one per cent very short.

Crops in general are in relatively good condition, and many crops are in excellent condition. Twenty-six per cent of the canola, 32 per cent of the peas, 22 per cent of the spring wheat and 30 per cent of the oats are in excellent condition. Twenty-four per cent of the oilseeds and 27 per cent of the spring cereals are ahead of normal in their development for this time of year.

Farmers are busy haying and scouting for and controlling disease.

Northwestern Saskatchewan:

- Crop District 9AW – Shellbrook, North Battleford, Big River and Hafford areas
- Crop District 9B – Meadow Lake, Turtleford, Pierceland, Maidstone and Lloydminster areas

Producers have seven per cent of the hay crop cut and one per cent baled or put into silage. Hay quality is rated as 45 per cent good and 55 per cent fair. Lack of sufficient moisture has stunted hay crop growth.

Northwest			
	% Ahead	% Normal	% Behind
Fall Cereals	N/A	N/A	N/A
Spring Cereals	28	69	3
Oilseeds	31	63	6
Pulse Crops	36	60	4

Precipitation varied greatly across the region, ranging from nothing in the Speers area to 39 mm in the St. Walburg area. Fortunately, the dry areas that were in need of moisture received some rain over the past week. The Debden area recorded 14 mm, the Glaslyn area 18 mm and the Meadow Lake area 17 mm. Many areas of the region are still in need of moisture to advance crops, hay and pasture. The Frenchman Butte area holds the regional record for the greatest amount of rain since April 1 (127 mm), while the Speers area has recorded the least since April 1 (40 mm).

Cropland topsoil moisture is rated as 67 per cent adequate, 21 per cent short and 12 per cent very short. Hay land and pasture topsoil moisture is rated as 54 per cent adequate, 36 per cent short and 10 per cent very short.

Overall, crops are at their normal stage of development for this time of year. Warm weather and an early start to spring seeding has resulted in 31 per cent of the oilseeds, 37 per cent of the pulses and 28 per cent of the spring cereals being ahead of their normal growth stage for this time of year. Sixty-three per cent of the spring wheat, 55 per cent of the canola and 75 per cent of the peas are in good condition.

Farmers are busy haying, and scouting for and controlling disease.

Crop Conditions - June 27, 2016

Provincial							
	Winter wheat	Fall rye	Spring wheat	Durum	Oat	Barley	Canaryseed
% excellent	38	63	27	43	16	20	34
% good	58	32	64	52	67	68	42
% fair	4	5	9	5	16	11	18
% poor	0	0	0	0	1	1	6
% very poor	0	0	0	0	0	0	0
	Flax	Canola	Mustard	Soybean	Pea	Lentil	Chickpea
% excellent	21	26	36	29	38	41	22
% good	68	59	55	56	54	49	76
% fair	10	13	9	14	7	9	2
% poor	1	1	0	1	1	1	0
% very poor	0	0	0	0	0	0	0

Southeast							
	Winter wheat	Fall rye	Spring wheat	Durum	Oat	Barley	Canaryseed
% excellent	45	51	32	38	25	33	25
% good	52	45	59	55	66	53	40
% fair	3	3	8	6	9	13	20
% poor	0	1	1	1	0	1	15
% very poor	0	0	0	0	0	0	0
	Flax	Canola	Mustard	Soybean	Pea	Lentil	Chickpea
% excellent	27	30	33	32	32	35	N/A
% good	62	59	57	55	50	45	N/A
% fair	9	10	10	11	13	18	N/A
% poor	2	1	0	2	5	2	N/A
% very poor	0	0	0	0	0	0	N/A

Southwest							
	Winter wheat	Fall rye	Spring wheat	Durum	Oat	Barley	Canaryseed
% excellent	43	75	45	47	20	28	27
% good	54	24	49	48	72	70	46
% fair	3	1	6	5	8	2	18
% poor	0	0	0	0	0	0	9
% very poor	0	0	0	0	0	0	0
	Flax	Canola	Mustard	Soybean	Pea	Lentil	Chickpea
% excellent	12	42	30	N/A	53	45	22
% good	80	54	61	N/A	44	49	76
% fair	8	4	9	N/A	3	6	2
% poor	0	0	0	N/A	0	0	0
% very poor	0	0	0	N/A	0	0	0

East-central							
	Winter wheat	Fall rye	Spring wheat	Durum	Oat	Barley	Canaryseed
% excellent	33	32	28	28	11	14	N/A
% good	65	64	64	69	78	77	N/A
% fair	2	4	8	3	11	9	N/A
% poor	0	0	0	0	0	0	N/A
% very poor	0	0	0	0	0	0	N/A

East-central (continued)							
	Flax	Canola	Mustard	Soybean	Pea	Lentil	Chickpea
% excellent	18	26	54	18	27	41	N/A
% good	71	56	41	55	67	54	N/A
% fair	11	16	5	27	6	5	N/A
% poor	0	2	N/A	0	0	0	N/A
% very poor	0	0	N/A	0	0	0	N/A

West-central							
	Winter wheat	Fall rye	Spring wheat	Durum	Oat	Barley	Canaryseed
% excellent	N/A	N/A	21	35	24	23	46
% good	N/A	N/A	70	58	70	69	46
% fair	N/A	N/A	9	7	6	7	8
% poor	N/A	N/A	0	0	0	1	0
% very poor	N/A	N/A	0	0	0	0	0
	Flax	Canola	Mustard	Soybean	Pea	Lentil	Chickpea
% excellent	30	23	52	N/A	33	40	N/A
% good	63	64	42	N/A	59	52	N/A
% fair	7	11	6	N/A	8	7	N/A
% poor	0	2	0	N/A	0	1	N/A
% very poor	0	0	0	N/A	0	0	N/A

Northeast							
	Winter wheat	Fall rye	Spring wheat	Durum	Oat	Barley	Canaryseed
% excellent	N/A	N/A	23	N/A	30	26	36
% good	N/A	N/A	73	N/A	65	64	46
% fair	N/A	N/A	4	N/A	5	10	18
% poor	N/A	N/A	0	N/A	0	0	0
% very poor	N/A	N/A	0	N/A	0	0	0
	Flax	Canola	Mustard	Soybean	Pea	Lentil	Chickpea
% excellent	12	26	N/A	N/A	32	N/A	N/A
% good	70	66	N/A	N/A	64	N/A	N/A
% fair	18	6	N/A	N/A	4	N/A	N/A
% poor	0	2	N/A	N/A	0	N/A	N/A
% very poor	0	0	N/A	N/A	0	N/A	N/A

Northwest							
	Winter wheat	Fall rye	Spring wheat	Durum	Oat	Barley	Canaryseed
% excellent	N/A	N/A	16	N/A	1	8	N/A
% good	N/A	N/A	63	N/A	49	61	N/A
% fair	N/A	N/A	19	N/A	45	29	N/A
% poor	N/A	N/A	2	N/A	5	2	N/A
% very poor	N/A	N/A	0	N/A	0	0	N/A
	Flax	Canola	Mustard	Soybean	Pea	Lentil	Chickpea
% excellent	25	13	N/A	N/A	8	N/A	N/A
% good	75	55	N/A	N/A	74	N/A	N/A
% fair	0	31	N/A	N/A	18	N/A	N/A
% poor	0	1	N/A	N/A	0	N/A	N/A
% very poor	0	0	N/A	N/A	0	N/A	N/A

Crop Districts and Rural Municipalities in Saskatchewan



Government of Saskatchewan

0 25 50 100 150 200
Kilometers

Projection: UTM Zone 13 Datum: NAD83

N

Data Source:
Crop Districts - Saskatchewan Ministry of Agriculture

Geomatic Services, Ministry of Agriculture June 10, 2014

© 2014 Government of Saskatchewan

Weekly Rainfall

from June 21 to June 27, 2016



NOTE: Since techniques used to smooth the transition between zones can affect the values in localized areas, this map should be used for regional analysis only.

Government of Saskatchewan

0 25 50 100 150 200

Kilometers

Projection: UTM Zone 13 Datum: NAD83

N

Data Source:
Rainfall - Ministry of Agriculture, Crop Report Database
IDW interpolation (power 2.5, fixed radius 300 km)

Geomatics Services, Ministry of Agriculture June 29, 2016

© 2016 Government of Saskatchewan

Weekly Rainfall Summary

(in millimeters) 1 inch = 25 mm for the period June 21 to 27, 2016

Crop Dist.	R.M. No.	Name	Past Week	Since 1-Apr
1A	2	Mount Pleasant	52	254
	3	Enniskillen	43	209
	33	Moose Creek	52	239
	34	Browning	89	267
	61	Antler	N/A	148
	64	Brock	51	184
	65	Tecumseh	30	200
1B	91	Maryfield	52	295
	122	Martin	37	238
	123	Silverwood	34	222
	124 A	Kingsley	27	224
	124 B	Kingsley	N/A	NIL
	125 A	Chester	14	233
	125 B	Chester	34	231
	151	Rocanville	76	223
	154	Elcapo	33	215
	155	Wolseley	21	197
2A	67	Weyburn	15	208
	68	Brokenshell	16	228
	97	Wellington	4.5	152
2B	127 A	Francis	9.5	155
	127 B	Francis	2.5	132
	129	Bratt's Lake	10	189
	131 A	Baildon	27	249
	131 B	Baildon	26	256
	156 A	Indian Head	3.9	140
	156 B	Indian Head	16	156
	159	Sherwood	N/A	146
	160	Pense	12	152
	161	Moose Jaw	15	178
	162	Caron	25	191
	191	Marquis	6	175
3ASE	36 A	Laurier	41.2	244
	36 B	Laurier	39	211
	39	The Gap	44	250
3ASW	10	Happy Valley	12	224
	12	Poplar Valley	N/A	193
	40	Bengough	N/A	N/A
	42	Willow Bunch	17	228
	43	Old Post	11	208
	73 A	Stonehenge	26.7	248
	73 B	Stonehenge	26	248
3AN	101	Terrell	N/A	N/A
	102	Lake Johnston	12.3	155
	103	Sutton	26	180
	132 A	Hillsborough	16.5	174
	132 B	Hillsborough	16	195
	134	Shamrock	N/A	17
	193 A	Eyebrow	37	183
	193 B	Eyebrow	24	226
3BS	17	Val Marie	N/A	176
	18	Lone Tree	25	213
	75	Pinto Creek	19	219
	76	Auvergne	22	179
	77	Wise Creek	24	231
	78	Grassy Creek	45	221
	105	Glenbain	N/A	213
	106	Whiska Creek	33	182
	107	Lac Pelletier	N/A	157
	108	Bone Creek	61	227
3BN	138 A	Webb	N/A	262
	138 B	Webb	27	185
	166	Excelsior	17	215
	167	Sask. Landing	31.8	242
	168 A	Riverside	18	213
	168 B	Riverside	40	137
	226	Victory	45	204
	228	Lacadena	N/A	192
	257	Monet	38.5	232

Crop Dist.	R.M. No.	Name	Past Week	Since 1-Apr
4A	49	White Valley	53	194
	51	Reno	18.7	151
	79	Arlington	N/A	191
	109 A	Carmichael	N/A	178
	109 B	Carmichael	N/A	216
	110	Piapot	68	224
	111	Maple Creek	N/A	142
4B	139	Gull Lake	51	247
	142	Enterprise	N/A	108
	169	Pittville	N/A	141
	231	Happyland	52	208
5A	183	Fertile Belt	N/A	177
	211	Churchbridge	26	160
	213	Saltcoats	N/A	66
	241	Calder	N/A	101
	243	Wallace	8	117
	244	Orkney	16	97
	245 A	Garry	24	137
	245 B	Garry	21	122
	245 C	Garry	21	100
	246	Ituna Bon Accord	18	85
	247	Kellross	15	101
	248	Touchwood	12	88
5B	271	Cote	10	107
	273	Sliding Hills	N/A	110
	277	Emerald	35	129
	305	Invermay	73	179
	307	Elfros	43	165
	308 A	Big Quill	41	110
	308 B	Big Quill	28	106
	331	Livingston	35	176
	336	Sasman	36	107
	337	Lakeview	N/A	93
	338	Lakeside	49	143
	366	Kelvington	55	136
	367	Ponass Lake	55	173
6A	190 A	Dufferin	2	218
	190 B	Dufferin	6	166
	190 C	Dufferin	8	177
	190 D	Dufferin	6	141
	219 A	Longlaketon	N/A	96
	219 B	Longlaketon	4	150
	220	McKillop	N/A	101
	221 A	Sarnia	12.6	169
	221 B	Sarnia	10	116
	222	Craik	5	124
	251	Big Arm	8.8	108
	252	Arm River	4	99
	279	Mount Hope	28.4	104
	282	McCraney	10	131
	312	Morris	28	116
	313	Lost River	N/A	N/A
	339	Leroy	40.6	118
	340	Wolverine	24	97
	341	Viscount	5	94
	343	Blucher	10	77
6B	223 A	Huron	33	169
	223 B	Huron	14	159
	284 A	Rudy	11	98
	285 B	Rudy	28	113
	285 A	Fertile Valley	51	171
	285 B	Fertile Valley	32	122
	286	Milden	N/A	136
	314	Dundurn	11	95
	344	Corman Park	NIL	54
	346	Perdue	23	130
	376	Eagle Creek	2	68
	403	Rosthern	N/A	62

Crop Dist.	R.M. No.	Name	Past Week	Since 1-Apr
7A	287	St. Andrews	69	172
	288	Pleasant Valley	N/A	90
	290 A	Kindersley	N/A	73
	290 B	Kindersley	33	125
	290 C	Kindersley	60	104
	292	Milton	11	180
	317 A	Marriott	N/A	84
	317 B	Marriott	4	84
	318	Mountain View	20	118
	320 A	Oakdale	61	148
	320 B	Oakdale	64	145
	321	Prairiedale	19	142
7B	347	Biggar	3	68
	350 A	Mariposa	NIL	93
	350 B	Mariposa	4	69
	351	Progress	N/A	79
	352	Heart's Hill	26	162
	377	Glenside	6	66
	378	Rosemount	8	84
	379	Reford	7	72
	381	Grass Lake	N/A	91
	382	Eye Hill	17.5	147
	409	Buffalo	13	86
	410	Round Valley	N/A	86
8A	395	Porcupine	54	202
	397	Barrier Valley	27.5	124
	428	Star City	34	133
	456	Arborfield	55	159
	457	Connaught	14	96
	486	Moose Range	39	133
	487	Nipawin	23	156
8B	369	St. Peter	14	81
	370 A	Humboldt	17	105
	370 B	Humboldt	22	88
	371	Bayne	N/A	100
	372	Grant	12	77
	400	Three Lakes	22	112
	402	Fish Creek	3	87
	429	Flett's Springs	20	73
	459	Kinistino	20	76
	460	Birch Hills	21	91
9AE	488	Torch River	19	120
	520	Paddockwood	10	73
	521	Lakeland	10	73
9AW	406	Mayfield	4	65
	435	Redberry	1	92
	436	Douglas	NIL	40
	463	Duck Lake	1	50
	467 A	Round Hill	N/A	90
	467 B	Round Hill	N/A	97
	494	Canwood	14	64
9B	438	Battle River	4	68
	440	Hillsdale	N/A	50
	442	Manitou Lake	7.7	86
	498 A	Parkdale	18	100
	498 B	Parkdale	9	24
	499 A	Mervin	17.5	124
	499 B	Mervin	N/A	N/A
	501 A	Frenchman Butte	39	111
	501 B	Frenchman Butte	11	119
	501 C	Frenchman Butte	N/A	126
	502	Britannia	N/A	86
	561	Loon Lake	13	103
	588 A	Meadow Lake	4	61
	588 B	Meadow Lake	17	93
	622	Beaver River	16.2	127

These precipitation amounts represent point locations within each municipality and do not necessarily reflect the whole R. M.

Municipality No: A, B, C and D - more than one reporter

Cumulative Rainfall

from April 1 to June 27, 2016



NOTE: Since techniques used to smooth the transition between zones can affect the values in localized areas, this map should be used for regional analysis only.

Government of Saskatchewan

0 25 50 100 150 200

Kilometers

Projection: UTM Zone 13 Datum: NAD83

N

Data Source:
Rainfall - Ministry of Agriculture, Crop Report Database
IDW interpolation (power 2.5, fixed radius 300 km)

Geomatics Services, Ministry of Agriculture June 29, 2016

Cropland Topsoil Moisture Conditions

June 27, 2016



NOTE: Since techniques used to smooth the transition between zones can affect the values in localized areas, this map should be used for regional analysis only.

Government of Saskatchewan

0 25 50 100 150 200

Kilometers

Projection: UTM Zone 13 Datum: NAD83

N

Data Source:
Moisture - Ministry of Agriculture, Crop Report Database
IDW interpolation (power 2.5, fixed radius 300 km)

Geomatics Services, Ministry of Agriculture June 29, 2016

© 2016 Government of Saskatchewan

Hay and Pasture Topsoil Moisture Conditions

June 27, 2016



NOTE: Since techniques used to smooth the transition between zones can affect the values in localized areas, this map should be used for regional analysis only.

Government of Saskatchewan

0 25 50 100 150 200

Kilometers

Projection: UTM Zone 13 Datum: NAD83

N

Data Source:
Moisture - Ministry of Agriculture, Crop Report Database
IDW interpolation (power 2.5, fixed radius 300 km)

Geomatics Services, Ministry of Agriculture June 29, 2016

© 2016 Government of Saskatchewan